

69

Survey of Lot 8 Block 20
Original Geneva, Lyle Traver

April 3, 1928

Measured S. line Block 20, 368'
between walks. Measured across
Maxwell St. extension of S. line
of Block 20, app. 77 ft.
West walk of Block 20 was set out
1'. Allowing 1' for walk line
we measured east 60' and set
iron stk. 1' N. of S. walk.
Measured E. 60' more and set
iron stake for S.E. Cor. of Lot
8, 1' in from walk. This is app.
1' E. of S.W. Cor. of addition
to Geo. Smith's house.

Mr. Smith had been shown before
by a survey that his addition was
considerably over line. He claims
that Murray Howe former owner
of Lot assented to setting of
addition and assumed it
to be online with division
fence.

Measured a cross line at S.
line Traver's house-garage
60' and made point, then 60'
farther east and found
fence on line

Set Transit on ^{1st} 60' point and
sighted on corresponding point
on S. line, inverted telescope
and measured N. & S. on this line
172' and made point set iron
stake for N.W. Cor. of Lot 8,
measured E. 60', lined in and
found as in previous survey
corner near center of tall post,
drove iron stake slanting so that
lower end rests app. on corner.
Sighted along a line of old
fence posts and had both
Traver & Smith sight over the
line of fence posts and both
saw that the line of posts would
cut into the upright part of
Smith's addition. So that
fence line agrees very close
with survey line.
Survey is correct assuming
the Block as built up.
It laid out as originally laid
out on paper and recorded
all lots in this Block would
move east & south.
J. G. S. C. 2. Bessie Palmer Asst

Lot 8 Blk 20 Orig Plat

N.E. & S.E. cor's lot 8

Block 20.

All Cors. Duff's lot in
under walk.

P. 22, S.E. Cor. a marble pillar

Seymour's & Kelly's lots at lake

S. end Maxwell St.

W. Cors Bishop's lot. Adell

Typewriter Bldg

Set. 25-2-17.

E 1/4 cor. Cor. anchor post 24 1/2' N.
Box Elder W of S. 20.25'

Stake in ctr of N. wheel, true
Town line

N.E. Cor. Anchor post at Cor. of S. & S. H. R. St.
ctr. iron stk at ctr of Center
forming + stk + stones

N.W. Cor. 4" oak post with nails
906' N. of N.W. cor. of cemetery

W. 1/4 Cor. Iron stk near H. R. R. St.
gate N. end Franklin Ave

S.W. Cor. large stone E. side small
N. line E.D. Buttons lot

S. 1/4 stk. 10' E. of E. line Center St.
see page 89

N. 1/4 1. iron N.E. cor. Summow

26-2-17

N.W. Cor. ~~same~~ 2 1/2" iron stake ^{1844' N. of ctr. of} comot
E. of Como creek bridge

N. 1/4 Cor. iron stake in ditch (ditch)

S. 1/4 " unknown
S.W. cor. 25'

S.E. " stone the same as
field

S.W. " } iron stake in S. Hanna
S. of W. 192.5' to 10" S. Hickory
wit. 2' S.W. 197.5' to 10" Ash. stump

27-2-17

N. 1/4 Cor. same as N.W. 26-2-17

N.W. unknown

N. 1/4