



DESIGN PRODUCTS Wisconsin Registered Land Surveyor ABERNATHY and PLAT OF SURVEY MAIN STREET WIDTH VARIABLE EASEMENT FOR INGRESS AND EGRESS . as N 78°30'E 119.1') OCATED NORTH, FD. IRON PIPE N 14\*33'38"W 6.19' WHICH OWNER USED DOUBLE STOCKADE FENCE -TO CONSTRUCT FENCE. 113.26 78°56'02" fd. iron pipe is 0.51' S. of true corner picket fence N 79'00'31"E 91.02" N 78°56'02"E 5.50' USED DISTANCES AS SHOWN ON BOTH REFERENCED SURVEYS TO RESET THIS CORNER. FD. TREE STUMP AT CORNER WHICH MATCHES SURVEY OF N 78 56 02 E 5.38 PARCEL TO EAST. CONCRETE DRIVEWAY 41'05" BRICK DRIVEWAY LEGAL DESCRIPTION FOR 95. LOT LINE ADJUSTMENT EXISTING RESIDENCE BRICK WALL A LOT LINE ADJUSTMENT OUT OF LANDS DESCRIBED IN VOL. 625 P. 3625 AS DOCUMENT NO. 265856 DESCRIBED MORE PARTICULARLY AS FOLLOWS: BEGIN AT A FOUND IRON ROD WHICH MARKS THE NORTHEAST CORNER OF SAID PARCEL: THENCE S 15 58 44" E ALONG THE EASTERLY 1322 W. MAIN ST. LINE OF SAID PARCEL 453.29 FEFT TO A FOUND IRON PIPE ON A MEANDER LINE WHICH IS N 78 00'E 5.26' N 15°58'44" W 3.60 FEET MORE OR LESS FROM THE SHORE OF GENEVA LAKE: THENCE S 77°44'26" W ALONG SAID MEANDER LINE 14.88 1324 W. MAIN ST. FEET TO A SET IRON ROD WHICH IS SCALE 1" = 20 FEET N 23°36'00" W 5.65 FEET MORE OR LESS FROM THE SHORE OF GENEVA LAKE; THENCE Horizontal Datum is based on the Wisconsin N 23°36'00" W 121.76 FEET TO A SET IRON State Plane Coordinate System Grid. South ROD; THENCE N 15°58'44" W 237.76 FEET TO A Zone, and all bearings are referred to Grid SET IRON ROD; THENCE N 78 00 00 E 5.26 FEET; THENCE N 12 00 00 W 69.48 FEET TO A COLUMNAR ARBORVITAE ROW SET IRON ROD; THENCE N 5'56'30" E 26.80 2.1' FEET TO A SET IRON ROD; THENCE LEGAL DESCRIPTION FOR N 78'56'02" E 5.38 FEET; THENCE EASEMENT N 11 03 58 W 1.00 FEET TO A SET IRON ROD; THENCE N 78 56 '02" E 5.50 FEET TO THE POINT EXISTING OF BEGINNING. THE ABOVE DESCRIBED PARCEL AN EASEMENT FOR INGRESS AND EGRESS OVER 12, 213 SQUARE FEET OF LAND MORE OR LESS AND PART OF LANDS DESCRIBED IN VOL. 625 P. 3625 INCLUDES ALL LANDS BETWEEN THE ABOVE RESIDENCE AS DOCUMENT NO. 265856 DESCRIBED MORE DESCRIBED MEANDER LINE AND THE SHORE OF PARTICULARLY AS FOLLOWS: COMMENCE AT A GENEVA LAKE. SAID LOT LINE ADJUSTMENT IS .07 FOUND IRON WHICH MARKS THE NORTHEAST CORNER OUT OF TAX KEY NUMBER YUP - 94M AND IS OF SAID PARCEL; THENCE S 78°56'02" W ALONG ADDED TO TAX KEY NUMBER YUP - 94L. 15 9' 6.2" THE NORTHERLY LINE OF SAID PARCEL 5.50 FEET OWNER: JAMES A. DYER, TRUSTEE, DYER TO A SET IRON ROD AND THE POINT OF BEGINNING; THENCE S 11 03 58 E 1.00 FEET PLANNING & SERVICE CORPORATION PROFIT TO A SET IRON ROD: THENCE S 78'56'02" W SHARING PLAN NO. 1467. 5.38 FEET TO A SET IRON ROD; THENCE S 5°56'30" W 26.80 FEET TO A SET IRON ROD; ADJUS THENCE S 12 00 '00" E 69.48 FEET TO A SET IRON ROD; THENCE S 78°00'00" W 5.26 FEET TO LEGAL DESCRIPTION FOR YUP - 94M: A SET IRON ROD; THENCE N 15\*58'44" W 96.54 Z FEET TO A SET IRON ROD IN THE NORTHERLY Commencing at a point in the in the Southerly line CONCRETE BLOCK RETAINING WALL LINE OF SAID PARCEL; THENCE N 78°56'02" E of Main Street of the City of Lake Geneva, ALONG SAID NORTHERYLY LINE 25.61 FEET TO Walworth County, Wisconsin, that is 335.75 feet THE POINT OF BEGINNING. SAID EASEMENT CONTAINS 947 SQUARE FEET OF LAND MORE OR and S 78°30'W of the point of intersection of said South line of Main Street with the East line of ===== Section 35, Town 2 North, Range 17 East, of the 10 4th P.M.; thence S 18°12'E 453.05 feet to a point in the shore of Lake Geneva; thence S 62°26'W PARCEL along the shore of said Geneva Lake 100 feet to a point: thence N 22°09'W 380.9 feet to an iron × ø∕ stake, thence N 16 09 W 96.6 feet to an iron stake; thence N 78°30'E 119.1 feet to the place of beginning. YJP ( DEED REFERENCE - W.D. DOC. NO. 265856 VOL. 625 P. 3625 SEPT. 3, 1993 ) 94L THIS SURVEY RETRACES A PREVIOUS PLAT BY RALPH ANDERSON DATED 11/10/80 OUT OF YUP - 94L YUP - 94M YUP - 94K YUP - 94 H 41, 047 S.F. 48, 228 S.F. H. KOLB SURVEY DATED JULY 18, 1966. ROBT. BAERENWALD SURVEY DATED JAN. 19, 1989 AFTER ADJUSTMENT AFTER ADJUSTMENT ADJUSTED LOT LINE PREVIOUS LOT LINE OWNER: JAMES A. DYER LEGAL DESCRIPTION FOR YUP - 94L: Plot #11, Joseph M. Biagi plat of Porter Subd. from Doc. #410061, Vol. 387 Page 501) Commencing at a point in the in the Southerly line of Main Street of the City of Lake Geneva, Walworth County, Wisconsin, that is 243.95 feet and S 78°30'W of the point of intersection of said South line of Main Street with the East line of Z Section 35, Town 2 North, Range 17 East, of the 4th P.M.; thence S 15°22'E 436.05 feet to a point in the shore of Lake Geneva; thence S 67°59'W along the shore of said Geneva Lake 71 feet to a point; thence N 18°12'W 453.06 feet to an iron stake, thence N 78°30'E 91.8 feet to the place of beginning. MEANDER CORNER ( DEED REFERENCE - OCD DOC. NO. 211894 VOL. 521 P. 35, MAY 28, 1991 ) NORTH = 219, 224.10 EAST = 2, 419, 245.19 GENEVA LAKE WALKWAY EASEMENT 99.11' N 77 44'26" E 84.23' 14.88 ( rec. as S 67°59'W 71') MEANDER CORNER `84.8'+ shoreline NORTH = 218, 875.642 ( rec. as S 62°26'W 100') EAST = 2, 418, 674.821 ∖84.8'+ shoreline GENEVA LAKE  $\subseteq$ concrete seawall 6 RECISTERED LAND H 109-94M