

2

Nov. 13/31 Wm Wriggle

Survey begun for  
Wm Wriggle Jr

Found, and re-established 2u  
34+35- Town 2. N. Range 17,  
Wisconsin. (This cor. Mon. had  
stone set on end near the north  
way builders. (a practice of  
be stopped) The writer went  
Geo. Posey before the road  
several section, cor. Mon's  
monumented + witnessed before  
ed. so we established new  
be carefully preserved, and  
but the builders did not thus  
stone at one side. The witness  
an iron stake, with the original  
it the witnesses are a large  
N. W. 16<sup>ft</sup>. distant a spike  
distant 30.1 feet. stake about 2"  
of middle of a 3' square pillar  
We question the previous location  
surplus of 6' to the N. line  
N. W. 1/4 of sect. 35 and a short  
section. location taken ~~from~~  
former surveyor.  
Having re-established this 1/4 cor.  
Proceeded to re-survey. The

Jr,

Lot known now as Fox farm,  
formerly owned by Hambrecht then by  
W. W. Harris of Chicago  
arter section Cor. between sections  
Town of Geneva, Walworth County  
been removed (a flinty long pointed  
highway track) by the concrete high-  
highway commissioners that should  
with the county highway engineer  
was constructed and we witnessed  
along route 50. (there had been  
but some witnesses had been destroyed  
witnesses. These Mon's were to  
I think they were by Mr. Posey  
preserve this one. for we found the  
es were still there and we placed  
stone set in the ground beside  
spike in a 16" White Oak stump  
in a post to picket fence N.E.  
below surface, and 18<sup>ft</sup>. south  
at corner of field surveyed,  
of this 1/4 cor. as there is a  
of the S. line of the S. W. 1/4, S. W. 1/4,  
e of 20<sup>ft</sup>. to south line of  
from records of H. E. Haskins,

as previously established at  
Fox farm, composed of the

S.  $\frac{3}{4}$  of the W.  $\frac{1}{2}$ , W.  $\frac{1}{2}$  of R. 17 E

Measured N. on the W. line 1985' to the center of the agrees exactly with former over Govt. record, thence

pillar at S. E. Cor. <sup>Measured N. on east line 1985' (1986)</sup> former survey of 1986

as near the other as concrete

The pillars at S. W. & S. E. fence posts at N. W. & N. E. Cor.

The road at the N. side is 64' wide and at S. W. Cor.

W.  $\frac{1}{2}$  of N. W.  $\frac{1}{4}$  road is 66' wide.

The south line of Fox W.  $\frac{1}{4}$  Cor. to the  $\frac{1}{8}$  post N. E. Cor. S.  $89^{\circ}$  E. S. W. from said  $\frac{1}{4}$  Cor.

$$\text{Area} = \frac{1985.5 \times 660}{43560} = 30.1 \text{ acres}$$

Next measured S. road line E. of W.  $\frac{1}{2}$  S. W.  $\frac{1}{4}$  Sect. 35 N.

Then W. on S. road line of 1716.8' to a 3' square fence farm. Set iron stake as near No iron stk set at N. E. cor. Center was set

the N. W.  $\frac{1}{4}$  of section 35, T. 2, N.

of the section. from the said  $\frac{1}{4}$  cor highway on the N. line. which survey shows a surplus of 5' East on S. line 660' to E. side of N. line 660' and this agrees with set iron stakes at N. W. cor. and footings would permit.

corners are on said Cor. and are at the respective corners. 50' wide. at the S. E. Cor. it is

49  $\frac{3}{4}$ ' wide. At the E line of running S. W. from  $\frac{1}{4}$  cor. it is 49  $\frac{3}{4}$ ' farm runs N.  $89^{\circ}$  E. from the

W.  $\frac{1}{2}$  S. W.  $\frac{1}{4}$  said section line runs road runs S.  $76^{\circ}$  W. & is 49  $\frac{3}{4}$ ' wide, more or less.

from W. line sect. 35, 1314, N. line line of Lytton farm.

N. line Quineannon land, ~~the~~

pillar, on N. W. Cor. of Quineannon N. W. Cor. as cone would permit, because a 5" cone, post with marked

4 Nov 16 continued  
 Lytton farm.  
 M on sect line between  
 25-98 S. road line to  
 N. road line,  
 2653' Down line Lytton farm  
 to 1/4 line 35' Overrun 13'  
 W. line Quincannon farm  
 1859.2' entire length fence to  
 W. line entire to ctr. of N. road  
 1878.2'  
 E. line fence to fence 1948'  
 509' S. W. cor. S. line 923' } 2.42  
 E. line }  
 N. line } 3174930.5 acres  
 Entire cross E & W line at  
 N. line McCrea to W. line  
 1654'  
 345' S. W. cor. Quincannon lot  
 to N. W. cor. McCrea lot  
 1337' N. E. cor. McCrea to N. E.  
 cor. Quincannon  
 N. line 317'  
 391' W. line McCrea  
 575' + 1354' = 1929  
 722.5' sect. line W. to E. line  
 acre. E & W. line acre 446  
 S. W. cor. McCrea to road line  
 575' start 68' start to W. line  
 acre. 186.5

# Survey Wripley farms.

sects 34 + 35

N & S line of acre 124.5  
 1,247' without road,  
 1,588' with

Area McCrea Lot 28.44 acres

Sect. cor. W. to Glennon 610.5'

" " E. to Lytton 398'

Wripley N. line 1009'

" N. line E. of sect cor. 398'

" cor. to N. E. cor. Lytton  
now P.H. Wripley 360'

Sect. cor. to S. E. cor. Lytton  
farm 1320'

Sect. line S. of large house  
W. to Glennon E. line 588'

W. line of Strong's lot (which is  
 E. line P.H. Wripley's lot) by  
 Strong's deed should be 4.3' E of  
 present (1931) fence at N. end  
 and 2.0' at south end.

Said line of fence now measures  
 1966' ctr. of road to lake, and  
 1960' ctr. of road to iron stk  
 at shop. Each line is 25'  
 less from road fence.

Width of lot is 360' ft at  
 each end. Strong's N. W. cor.  
 by deed is 782.3' E. of cor. of sect 2-1-17

5. Nov. 17, 1931 cont'd  
 Wm Wrigley Jr. & P.H. Wrigley  
 With transit line & Wm Wrigley's  
 N.E. Cor to lake using N end  
 of fence and retaining wall  
 as a part of said line.  
 Line from ctr. of road to lake  
 2156' to iron stk 2144  
 Checked line by measure from  
 E. line 360' and by needle  
 (Var. 10 30') check O.K.  
 Measured across Wm Wrigley's  
 original lot 898' to E.  
 line Williams lot ~~at~~ there  
 west at right angles to  
 Glennon's E. line 588'  
 E. line Williams lot is sect  
 line between sects (2+3)-1-17.  
 Corresponding line at  
 N. Twp line measures 510.5'  
 Mr. Irwin Bailey says W line  
 Glennon's will be O.K. but  
 we are to show the  
 strip E. of E. fence P.H.  
 Wrigley's land.  
 Glennon's line varies  
 to east at S. end  
 about 22'.

Witnesses to S. Sect Cor. 34+35  
 Town of Geneva Wm Wrigley

Subt. 15. Cor. 34+35 Dist.  
 Witnesses Post, ~~Run~~ 12" N 34° E 17.82'  
 W.O. 10" N 7° W 60.72'

Subt. Sects 2+3-1 N. 17 E.  
 Witnesses Lymc 12" S. 68° W 24.12'  
 W.O. 10" S. 72° E 36.96'

Wit. to 1/4 Cor. 34+35 2-17

Subt. N. 20" W. O. stand 15' dist (spike)  
 Wit. N. E. spike in fence post  
 Dist, 30.1

Ctr of fence pillar 18' North  
 Iron pipe + original stone  
 Near N. edge of pavement

11/21/31

Survey completed

Ran line between sects 2+3

Run W. line all O.K.

hard job

22 64.24' long

Varied a few inches from  
 point measured across  
 near lake. N.E. Cor Williams  
 at 1427.25 1/4 set iron stk  
 near R.O. in water gully  
 19" maple blazed near lake